

Panel Fencing

We offer classic wood panel fencing, providing aesthetics for a clean look. Stain or paint to match your buildings and setting. All wood fastens to the posts, and the posts pin-latch together, making install easy to position and assemble. All steel posts are 6' tall, and hot dip galvanized.

Model I

- 6' high
- 4 rows, 2x10x8 (bottom pressure treated)
- 1 top row 2x6x8
- Window 18" high

Model II

- 6' high
- 4 rows, 2x10x8 (bottom pressure treated)
- 2 top row 2x6x8
- Provides viewing space with added board

Model III

- 6' High
- 6 Rows 2x10x8 (bottom pressure treated)
- 1 Top Row 2x6x8
- Window 9" high – horses can see without sticking head through fence



Model I



Model II



Model III

FENCING GATES

Our Fencing system comes with an inside gate (to access the machine on the inner diameter) and an outside gate to load the horses. The gates come with hinges to pivot the gates open.

The inner gate is aligned in our set-up with the outer gate, and integrates seamlessly and is virtually un-noticeable when closed. Our outer gate provides an easy pivot to open and close, with ample room to manage your horses in and out of the EuroXciser.

We also have a sliding gate option for the outside gate if space efficiency is important. The gate slides laterally along the fence line and offers ample space for easy loading and unloading of your horses into the EuroXciser.



Outside Gate



Inside Gate



Optional Sliding Gate

CONTROLLERS

Our EuroXciser is equipped with a Standard controller and we offer a Programmable controller option. Our controllers are:

- CE and UL Approved
- NEMA4 Enclosure for Outdoor Use
- Latest technology in AC Motor Speed Control and convert 110V or 220V single phase input power to 220V three phase power required by the motor – makes the electrical install simple and easy for your electrician.
- Compact and user friendly to operate

Operating Manual Controller includes

- ON/OFF switch
- Start/Stop for emergency
- Forward / Brake / Reverse direction control
- Speed pod for manual speed control

Operating the Programmable Controller

- LED with touch pad for control – set program and push start
- Completely programmable time, speed, direction
- Speed adjustment during program
- Jog mode for easy horse loading
- E-Stop with lockable main switch
- Manual over ride
- Unique stores up to 10 programs you can custom design to fit your training needs



Standard Controller



Pre Programmed Controller

PARTITIONS

Our standard “M” partition comes with our EuroXciser. We use high quality welded galvanized wire. The wire gauge is 3/16” and prevents horse shoes from getting caught in these partitions. We frame the partition with rubber siding and Neoprene rubber on the bottom “bumper”. The partition can be electrified with the fenier, system, and be turned on or off from the control panel. For safety, these partitions are hinged and connected to the machine arm, providing compliance to the partition.

We also offer our “R” partition, made from Neoprene rubber. The partitions are perforated to reduce weight and wind resistance, and one of the safest and durable offered on the market. The partitions may not be electrified as they do not conduct electricity. Due to weight, the EuroXciser requires a 2 HP motor to use these partitions.

We also offer custom sized partitions to meet your machines needs.



M Partition



R Partition